

Appl. No. : 09/818,699
Filed : March 27, 2001

AMENDMENTS TO THE CLAIMS

Please amend Claims 1, 5 and 8 and cancel Claims 10, 15, and 18 without prejudice or disclaimer. Claims 7, and 11-14, 16, 17, 19, and 20 remain as previously pending.

1. (Currently Amended) A method of transferring data over a computer network from a network server to a client computer system, the method comprising:

receiving a request by a requestor using a client computer system for data from at least one network server;

checking in the client computer system an attribute of the requested data to determine whether the requested data is encrypted with an encryption key, wherein the attribute is alterable by a network administrator, and wherein the network administrator is independent of the at least one network server;

if the requested data is encrypted with the encryption key, sending the encrypted data to the client computer system~~checking the attribute of the requested data to determine an owner of the encryption key; and~~

if the requested data is unencrypted, automatically retrieving the encryption key associated with the requestor from the client computer system;

encrypting the requested data with the encryption key associated with the requestor automatically and without user intervention to create encrypted data; and

sending the encrypted data to the client computer system

~~comparing the owner of the encryption key obtained from the attribute with the requestor to determine whether the requestor is the owner of the encryption key.~~

2.-4. (Canceled)

Appl. No. : 09/818,699
Filed : March 27, 2001

5. (Currently Amended) A method of data storage and retrieval comprising:

automatically generating independently of information from a network server a public encryption key and a corresponding private encryption key in a client computer system;

storing the public encryption key and the corresponding private encryption key in the client computer system;

associating an attribute with a data file, the attribute indicating whether the data file is encrypted with the public encryption key when stored on the network server, and the attribute indicating an owner of the public encryption key;

requesting the data file by a requestor from the network server using the client computer system;

checking at the client computer system the attribute of the requested data file to determine whether the requested data file is encrypted, wherein the attribute is alterable by a network administrator, and wherein the network administrator is independent of the network server;

if the requested data file is encrypted, receiving the requested data file at the client computer system;

if the requested data file is unencrypted, sending the public encryption key from the client computer system to the network server automatically and without user intervention;

receiving the requested data file at the client computer system after the public encryption key is used to encrypt the requested data file to create an encrypted data file; and

storing the encrypted data file on a storage medium in the client computer system~~checking the attribute of the requested data file to determine an owner of the public encryption key;~~

Appl. No. : 09/818,699
Filed : March 27, 2001

~~comparing the owner of the public encryption key obtained with the attribute with the requestor to determine whether the requestor is the owner of the public encryption key.~~

6. (Canceled)

7. (Previously Presented) The method of Claim 5, wherein the public encryption key and the corresponding private encryption key are based on a password entered by a user when logging on to the client computer system.

8. (Currently Amended) A computer readable data storage medium having stored thereon commands that are operative to cause a general purpose computer configured as a network server to perform a method of data retrieval comprising:

~~receiving a request from a requestor for a data file from a requestor using a client computer system at a network server;~~

~~checking a file attribute of the requested data file to determine whether the requested data file is encrypted with an encryption key, wherein the attribute is alterable by a network administrator and wherein the network administrator is independent of the network server;~~

~~if the requested data file is encrypted with the encryption key, routing the encrypted data file to the client computer system~~

~~if the requested data file is unencrypted, automatically requesting the encryption key associated with the requestor from the client computer system, the encryption key being originated independently of the network server;~~

~~automatically encrypting the requested data file using the encryption key associated with the requestor to create an encrypted data file; and~~

~~routing the encrypted data file to the client computer system~~

~~checking the file attribute of the requested data file to determine an owner of the encryption key; and~~

Appl. No. : 09/818,699
Filed : March 27, 2001

~~comparing the owner of the encryption key obtained from the attribute with the requestor to determine whether the requestor is the owner of the encryption key.~~

9. (Canceled)

10. (Canceled)

11. (Previously Presented) The method of Claim 1, further comprising sending the requestor a message indicating the requested data is not encrypted with the encryption key associated with the requestor if the requested data is encrypted and the requestor is not the owner of the encryption key.

12. (Previously Presented) The method of Claim 1, further comprising sending the requested data to the client computer system if the requested data is encrypted and the requestor is the owner of the encryption key.

13. (Previously Presented) The method of Claim 1, wherein the encryption key is derived at least in part from an identification code.

14. (Previously Presented) The method of Claim 13, wherein the encryption key is derived at least in part from user input.

15. (Canceled)

16. (Previously Presented) The method of Claim 5, further comprising sending the requestor a message indicating the requested data file is not encrypted with the public encryption key associated with the requestor if the requested data file is encrypted and the requestor is not the owner of the public encryption key.

17. (Previously Presented) The method of Claim 5, further comprising sending the requested data file to the client computer system if the requested data file is encrypted and the requestor is the owner of the public encryption key.

18. (Canceled)

19. (Previously Presented) The data storage medium of Claim 8, further comprising sending the requestor a message indicating the requested data file is not encrypted with the encryption key associated with the requestor if the

Appl. No. : 09/818,699
Filed : March 27, 2001

requested data is encrypted and the requestor is not the owner of the encryption key.

20. (Previously Presented) The data storage medium of Claim 8, further comprising sending the requested data file to the client computer system if the requested data file is encrypted and the requestor is the owner of the encryption key.